

# Final species list

## Decision Regulatory Impact Statement- attachment 5

Reviewing the framework for the management of protected wildlife (animals) in Queensland under the *Nature Conservation Act 1992*.

### CATEGORY RELEVANT PROTECTED ANIMALS

---

EXEMPT Birds:

The following birds are exempt animals—

Common name	Scientific name
Australian ringneck	Barnardius zonarius
sulphur-crested cockatoo	Cacatua galerita
western corella	Cacatua pastinator
little corella	Cacatua sanguinea
long-billed corella	Cacatua tenuirostris
emerald dove	Chalcophaps indica
stubble quail	Coturnix pectoralis
brown quail	Coturnix ypsilophora
painted finch	Emblema pictum
galah	Eolophus roseicapilla
Gouldian finch	Erythrura gouldiae
blue-faced parrot finch	Erythrura trichroa
king quail	Excalfactoria chinensis
diamond dove	Geopelia cuneata
bar-shouldered dove	Geopelia humeralis
peaceful dove	Geopelia striata
spinifex pigeon	Geophaps plumifera
musk lorikeet	Glossopsitta concinna
purple-crowned lorikeet	Glossopsitta porphyrocephala
pictorella mannikin	Heteromunia pectoralis
chestnut-breasted manikin	Lonchura castaneothorax
yellow-rumped mannikin	Lonchura flaviprymna
budgerigar	Melopsittacus undulatus
plum-headed finch	Neochmia modesta
crimson finch	Neochmia phaeton
star finch	Neochmia ruficauda

---

Final species list

red-browed finch	<i>Neochmia temporalis</i>
blue-winged parrot	<i>Neophema chrysostoma</i>
elegant parrot	<i>Neophema elegans</i>
rock parrot	<i>Neophema petrophila</i>
turquoise parrot	<i>Neophema pulchella</i>
scarlet-chested parrot	<i>Neophema splendida</i>
Bourke's parrot	<i>Neopsephotus bourkii</i>
blue bonnet	<i>Northiella haematogaster</i>
cockatiel	<i>Nymphicus hollandicus</i>
crested pigeon	<i>Ocyphaps lophotes</i>
little lorikeet	<i>Parvipsitta pusilla</i>
common bronzewing	<i>Phaps chalcoptera</i>
pale-headed rosella	<i>Platycercus adscitus</i>
Adelaide rosella	<i>Platycercus elegans adelaidae</i>
crimson rosella	<i>Platycercus elegans elegans</i>
yellow rosella	<i>Platycercus elegans flaveolus</i>
eastern rosella	<i>Platycercus eximius</i>
western rosella	<i>Platycercus icterotis</i>
northern rosella	<i>Platycercus venustus</i>
long-tailed finch	<i>Poephila acuticauda</i>
black-throated finch	<i>Poephila cincta</i>
masked finch	<i>Poephila personata</i>
princess parrot	<i>Polytelis alexandrae</i>
regent parrot	<i>Polytelis anthopeplus</i>
superb parrot	<i>Polytelis swainsonii</i>
hooded parrot	<i>Psephotus dissimilis</i>
red-rumped parrot	<i>Psephotus haematonotus</i>
mulga parrot	<i>Psephotus varius</i>
varied lorikeet	<i>Psitteuteles versicolor</i>
red-capped parrot	<i>Purpureicephalus spurius</i>
diamond firetail	<i>Stagonopleura guttata</i>
double-barred finch	<i>Taeniopygia bichenovii</i>
zebra finch	<i>Taeniopygia guttata</i>
scaly-breasted lorikeet	<i>Trichoglossus chlorolepidotus</i>
rainbow lorikeet	<i>Trichoglossus haematodus moluccanus</i>
rainbow (red-collared) lorikeet	<i>Trichoglossus haematodus rubritorquatus</i>
black-breasted button-quail	<i>Turnix melanogaster</i>
painted button-quail	<i>Turnix varius</i>
little button-quail	<i>Turnix velox</i>

---

## CLASS 1 Amphibians:

The following amphibians are class 1 animals—

Common name	Scientific name
beeping froglet	<i>Crinia parinsignifera</i>
clicking froglet	<i>Crinia signifera</i>
Sloane's froglet	<i>Crinia sloanei</i>
greenstripe frog	<i>Cyclorana alboguttata</i>
northern snapping frog	<i>Cyclorana australis</i>
superb collared frog	<i>Cyclorana brevipes</i>
eastern snapping frog	<i>Cyclorana novaehollandiae</i>
water holding frog	<i>Cyclorana platycephala</i>
grey bellied pobblebonk	<i>Limnodynastes dumerilii</i>
barking frog	<i>Limnodynastes fletcheri</i>
giant bullfrog	<i>Limnodynastes interioris</i>
striped marshfrog	<i>Limnodynastes peronii</i>
salmon striped frog	<i>Limnodynastes salmini</i>
spotted grassfrog	<i>Limnodynastes tasmaniensis</i>
scarlet sided pobblebonk	<i>Limnodynastes terraereginae</i>
northern sedgefrog	<i>Litoria bicolor</i>
common green treefrog	<i>Litoria caerulea</i>
orange eyed treefrog	<i>Litoria chloris</i>
Blue Mountains treefrog	<i>Litoria citropa</i>
bleating treefrog	<i>Litoria dentata</i>
southern brown tree frog	<i>Litoria ewingii</i>
eastern sedgefrog	<i>Litoria fallax</i>
wallum rocketfrog	<i>Litoria freycineti</i>
Centralian treefrog	<i>Litoria gilleni</i>
graceful treefrog	<i>Litoria gracilentata</i>
white lipped treefrog	<i>Litoria infrafronata</i>
Jervis Bay treefrog	<i>Litoria jervisiensis</i>
northern stony creek frog	<i>Litoria jungguy</i>
broad palmed rocketfrog	<i>Litoria latopalmata</i>
stony creek frog	<i>Litoria lesueuri</i>
Moore's frog	<i>Litoria moorei</i>
striped rocketfrog	<i>Litoria nasuta</i>
leaf green treefrog	<i>Litoria nudidigita</i>
emerald spotted treefrog	<i>Litoria peronii</i>
green stream frog	<i>Litoria phyllochroa</i>
northern laughing treefrog	<i>Litoria rothii</i>
desert treefrog	<i>Litoria rubella</i>

Final species list

magnificent treefrog	<i>Litoria splendida</i>
southern laughing treefrog	<i>Litoria tyleri</i>
whistling treefrog	<i>Litoria verreauxii</i>
eastern stony creek frog	<i>Litoria wilcoxii</i>
trilling frog	<i>Neobatrachus centralis</i>
meeowing frog	<i>Neobatrachus sudellae</i>
ornate burrowing frog	<i>Platyplectrum ornatum</i>
big shouldered gungan	<i>Uperoleia capitulata</i>
dusky toadlet	<i>Uperoleia fusca</i>
eastern gungan	<i>Uperoleia laevigata</i>
chubby gungan	<i>Uperoleia rugosa</i>
Tyler's toadlet	<i>Uperoleia tyleri</i>

Birds:

The following birds are class 1 animals—

Common name	Scientific name
king parrot	<i>Alisterus scapularis</i>
chestnut teal	<i>Anas castanea</i>
grey teal	<i>Anas gracilis</i>
black duck	<i>Anas superciliosa</i>
red-winged parrot	<i>Aprosmictus erythropterus</i>
hardhead	<i>Aythya australis</i>
gang gang cockatoo	<i>Callocephalon fimbriatum</i>
red-tailed black-cockatoo	<i>Calyptorhynchus banksii</i>
yellow-tailed black-cockatoo	<i>Calyptorhynchus funereus</i>
Cape Barren goose	<i>Cereopsis novaehollandiae</i>
maned duck or wood duck	<i>Chenonetta jubata</i>
white-headed pigeon	<i>Columba leucomela</i>
Macleay's fig parrot	<i>Cyclopsitta diophthalma macleayana</i>
wandering whistling-duck	<i>Dendrocygna arcuata</i>
plumed whistling-duck	<i>Dendrocygna eytoni</i>
pie imperial-pigeon	<i>Ducula bicolor</i>
eclectus parrot	<i>Eclectus roratus</i> , other than <i>Eclectus roratus macgillivrayi</i>
crimson chat	<i>Epthianura tricolor</i>
squatter pigeon	<i>Geophaps scripta</i>
partridge pigeon	<i>Geophaps smithii</i>
swift parrot	<i>Lathamus discolor</i>
wonga pigeon	<i>Leucosarcia melanoleuca</i>
Major Mitchell's cockatoo (pink cockatoo)	<i>Lophochroa leadbeateri</i>

Final species list

brown cuckoo-dove	<i>Macropygia amboinensis</i>
pink-eared duck	<i>Malacorhynchus membranaceus</i>
superb fairy-wren	<i>Malurus cyaneus</i>
splendid fairy-wren	<i>Malurus splendens</i>
naretha blue bonnet	<i>Northiella narethae</i>
blue-billed duck	<i>Oxyura australis</i>
white-quilled rock-pigeon	<i>Petrophassa albipennis</i>
chestnut quilled rock-pigeon	<i>Petrophassa rufipennis</i>
brush bronzewing	<i>Phaps elegans</i>
flock bronzewing	<i>Phaps histrionica</i>
green rosella	<i>Platycercus caledonicus</i>
golden-shouldered parrot	<i>Psephotus chrysopterygius</i>
rose-crowned fruit-dove	<i>Ptilinopus regina</i>
superb fruit-dove	<i>Ptilinopus superbus</i>
figbird	<i>Sphecotheres vieilloti</i>
beautiful firetail	<i>Stagonopleura bella</i>
red-eared firetail	<i>Stagonopleura oculata</i>
radjah shelduck	<i>Tadorna radjah</i>
Australian shelduck	<i>Tadorna tadornoides</i>
red-backed button-quail	<i>Turnix maculosus</i>
buff-breasted button-quail	<i>Turnix olivii</i>
red-chested button-quail	<i>Turnix pyrrhorthorax</i>
silveryeye	<i>Zosterops lateralis</i>

Invertebrates:

The following invertebrates are class 1 animals—

- (a) all protected spiders;
- (b) all protected scorpions

Reptiles

The following reptiles are class 1 animals—

Common name	Scientific name
red-throated cool-skink	<i>Acritoscincus platynotum</i>
Lesueur's velvet gecko	<i>Amalosia lesueurii</i>
Burns's dragon	<i>Amphibolurus burnsi</i>
centralian lashtail dragon	<i>Amphibolurus centralis</i>
Gilbert's dragon	<i>Amphibolurus gilberti</i>
long-nosed dragon	<i>Amphibolurus longirostris</i>
jacky lizard	<i>Amphibolurus muricatus</i>

Final species list

swamplands lashtail	<i>Amphibolurus temporalis</i>
children's python	<i>Antaresia childreni</i>
spotted python	<i>Antaresia maculosa</i>
pygmy python	<i>Antaresia perthensis</i>
Stimson's python	<i>Antaresia stimsoni</i>
black-headed worm-lizard	<i>Aprasia picturata</i>
black-headed python	<i>Aspidites melanocephalus</i>
woma	<i>Aspidites ramsayi</i>
major skink	<i>Bellatorias frerei</i>
land mullet	<i>Bellatorias major</i>
brown tree snake	<i>Boiga irregularis</i>
Cann's longneck turtle	<i>Chelodina canni</i>
broad-shelled river turtle	<i>Chelodina expansa</i>
eastern snake-necked turtle	<i>Chelodina longicollis</i>
northern snake-necked turtle	<i>Chelodina rugosa</i>
marbled southern gecko	<i>Christinus marmoratus</i>
bar-sided skink	<i>Concinnia tenuis</i>
striped snake-eyed skink	<i>Cryptoblepharus virgatus</i>
central netted dragon	<i>Ctenophorus nuchalis</i>
painted dragon	<i>Ctenophorus pictus</i>
pale-rumped ctenotus	<i>Ctenotus regius</i>
robust ctenotus	<i>Ctenotus robustus</i>
Schomburgk's ctenotus	<i>Ctenotus schomburgkii</i>
straight-browed ctenotus	<i>Ctenotus spaldingi</i>
copper-tailed skink	<i>Ctenotus taeniolatus</i>
she-oak slender blue-tongue lizard	<i>Cyclodomorphus casuarinae</i>
pink-tongued lizard	<i>Cyclodomorphus gerrardii</i>
mainland she-oak skink	<i>Cyclodomorphus michaeli</i>
Gulf delma	<i>Delma mollerii</i>
excitable delma	<i>Delma tinca</i>
green tree snake	<i>Dendrelaphis punctulatus</i>
tessellated gecko	<i>Diplodactylus tessellatus</i>
wood gecko	<i>Diplodactylus vittatus</i>
tommy roundhead	<i>Diporiphora australis</i>
nobbi	<i>Diporiphora nobbi</i>
Cunningham's skink	<i>Egernia cunninghami</i>
Hosmer's skink	<i>Egernia hosmeri</i>
desert skink	<i>Egernia inornata</i>
King's skink	<i>Egernia kingii</i>
black crevice-skink	<i>Egernia saxatilis</i>
gidgee skink	<i>Egernia stokesii</i>

Final species list

tree skink	<i>Egernia striolata</i>
northern snapping turtle	<i>Elseya dentata</i>
Mary River turtle	<i>Elusor macrurus</i>
river turtle	<i>Emydura macquarii</i>
narrow-banded sand swimmer	<i>Eremiascincus fasciolatus</i>
ghost skink	<i>Eremiascincus phantasmus</i>
broad-banded sand swimmer	<i>Eremiascincus richardsonii</i>
eastern water skink	<i>Eulamprus quoyii</i>
northern dtella	<i>Gehyra australis</i>
dubious dtella	<i>Gehyra dubia</i>
Kimberley Plateau dtella	<i>Gehyra occidentalis</i>
varied dtella	<i>Gehyra versicolor</i>
Bynoe's gecko	<i>Heteronotia binoei</i>
cave prickly gecko	<i>Heteronotia spelea</i>
eastern water dragon	<i>Intellagama lesueurii</i>
Murray's skink	<i>Karma murrayi</i>
dark-flecked garden sunskink	<i>Lampropholis delicata</i>
pale-flecked garden sunskink	<i>Lampropholis guichenoti</i>
Burton's legless lizard	<i>Lialis burtonis</i>
water python	<i>Liasis fuscus</i>
olive python	<i>Liasis olivaceus</i>
eastern ranges rock-skink	<i>Liopholis modesta</i>
White's skink	<i>Liopholis whitii</i>
southern angle-headed dragon	<i>Lophosaurus spinipes</i>
beaded gecko	<i>Lucasium damaeum</i>
Steindachner's gecko	<i>Lucasium steindachneri</i>
common dwarf skink	<i>Menetia greyii</i>
centralian carpet python	<i>Morelia bredli</i>
rough-scaled python	<i>Morelia carinata</i>
carpet python	<i>Morelia spilota</i>
green python	<i>Morelia viridis</i>
south-eastern morethia skink	<i>Morethia boulengeri</i>
west coast morethia skink	<i>Morethia lineocellata</i>
robust velvet gecko	<i>Nebulifera robusta</i>
centralian knob-tailed gecko	<i>Nephurus amya</i>
rough knob-tailed gecko	<i>Nephurus asper</i>
smooth knob-tail gecko	<i>Nephurus laevis</i>
three-lined knob-tail gecko	<i>Nephurus levis</i>
Kimberley rough knob-tail gecko	<i>Nephurus sheai</i>
stellate knob-tail gecko	<i>Nephurus stellatus</i>
banded knob-tail gecko	<i>Nephurus wheeleri</i>

Final species list

Gulf marbled velvet gecko	<i>Oedura bella</i>
northern velvet gecko	<i>Oedura castelnaui</i>
inland marbled velvet gecko	<i>Oedura cincta</i>
northern spotted velvet gecko	<i>Oedura coggeri</i>
fringe-toed velvet gecko	<i>Oedura filicipoda</i>
marbled velvet gecko	<i>Oedura marmorata</i>
ocellated velvet gecko	<i>Oedura monilis</i>
southern spotted velvet gecko	<i>Oedura tryoni</i>
Dwyer's snake	<i>Parasuta dwyeri</i>
broad-tailed gecko	<i>Phyllurus platurus</i>
bearded dragon	<i>Pogona barbata</i>
downs bearded dragon	<i>Pogona henrylawsoni</i>
pygmy bearded dragon	<i>Pogona minor</i>
north-west bearded dragon	<i>Pogona mitchelli</i>
central bearded dragon	<i>Pogona vitticeps</i>
common scaly-foot	<i>Pygopus lepidopodus</i>
hooded scaly-foot	<i>Pygopus nigriceps</i>
eastern hooded scaly-foot	<i>Pygopus schraderi</i>
mountain heath dragon	<i>Rankinia diemensis</i>
northern leaf-tailed gecko	<i>Saltuarius cornutus</i>
Moritz's leaf-tailed gecko	<i>Saltuarius moritzi</i>
rough-throated leaf-tailed gecko	<i>Saltuarius salebrosus</i>
southern leaf-tailed gecko	<i>Saltuarius swaini</i>
amethystine python	<i>Simalia amethystina</i>
amethystine python	<i>Simalia kinghorni</i>
slaty-grey snake	<i>Stegonotus cucullatus</i>
spiny-tailed gecko	<i>Strophurus ciliaris</i>
southern spiny-tailed gecko	<i>Strophurus intermedius</i>
southern phasmid gecko	<i>Strophurus jeanae</i>
Kristin's spiny-tailed gecko	<i>Strophurus krisalys</i>
golden-tailed gecko	<i>Strophurus taenicauda</i>
western shield spiny-tailed gecko	<i>Strophurus wellingtonae</i>
soft-spined gecko	<i>Strophurus williamsi</i>
centralian blue-tongued lizard	<i>Tiliqua multifasciata</i>
blotched blue-tongued lizard	<i>Tiliqua nigrolutea</i>
shingle-back	<i>Tiliqua rugosa</i>
eastern blue-tongued lizard	<i>Tiliqua scincoides</i>
keelback snake	<i>Tropidonophis mairii</i>
thick-tailed gecko	<i>Underwoodisaurus milii</i>
ridge-tailed monitor	<i>Varanus acanthurus</i>
pygmy mulga monitor	<i>Varanus gilleni</i>



Final species list

sand monitor	<i>Varanus gouldii</i>
Mertens' water monitor	<i>Varanus mertensi</i>
spotted tree monitor	<i>Varanus scalaris</i>
Storr's monitor	<i>Varanus storri</i>
black-tailed monitor	<i>Varanus tristis</i>
saw-shelled turtle	<i>Wollumbinia latisternum</i>

---

CLASS 2

Amphibians:

The following amphibians are class 2 animals—

Common name	Scientific name
tusked frog	<i>Adelotus brevis</i>
pouched frog	<i>Assa darlingtoni</i>
chirping froglet	<i>Crinia deserticola</i>
wallum froglet	<i>Crinia tinnula</i>
grassland collared frog	<i>Cyclorana cultripes</i>
rough collared frog	<i>Cyclorana verrucosa</i>
Tasmanian smooth froglet	<i>Geocrinia laevis</i>
Victorian smooth froglet	<i>Geocrinia victoriana</i>
orange-bellied Frog	<i>Geocrinia vitellina</i>
giant burrowing frog	<i>Heleioporus australiacus</i>
green and golden bell frog	<i>Litoria aurea</i>
Booroolong frog	<i>Litoria booroolongensis</i>
green thighed frog	<i>Litoria brevipalmata</i>
Tasmanian treefrog	<i>Litoria burrowsae</i>
northern waterfrog	<i>Litoria dahlia</i>
growling green eyed frog	<i>Litoria eucnemis</i>
Littlejohn's treefrog	<i>Litoria littlejohni</i>
cascade treefrog	<i>Litoria pearsoniana</i>
southern bell frog	<i>Litoria raniformis</i>
whirring treefrog	<i>Litoria revelata</i>
orange thighed treefrog	<i>Litoria xanthomera</i>
stuttering frog	<i>Mixophyes balbus</i>
great barred frog	<i>Mixophyes fasciolatus</i>
giant barred frog	<i>Mixophyes iteratus</i>
holy cross frog	<i>Notaden bennettii</i>
desert shovelfoot	<i>Notaden nicholli</i>
Haswell's froglet	<i>Paracrinia haswelli</i>
red-and-yellow mountainfrog	<i>Phyllorhina kundagungan</i>
masked mountainfrog	<i>Phyllorhina loveridgei</i>
sphagnum frog	<i>Phyllorhina sphagnicolus</i>
red crowned toadlet	<i>Pseudophryne australis</i>

Final species list

Bibron's toadlet	<i>Pseudophryne bibronii</i>
red backed broodfrog	<i>Pseudophryne coriacea</i>
southern toadlet	<i>Pseudophryne dendyi</i>
great brown broodfrog	<i>Pseudophryne major</i>
southern toadlet	<i>Pseudophryne semimarmorata</i>

Birds:

The following birds are class 2 animals—

Common name	Scientific name
spiny-cheeked honeyeater	<i>Acanthagenys rufogularis</i>
yellow-rumped thornbill	<i>Acanthiza chrysorrhoa</i>
western spinebill	<i>Acanthorhynchus superciliosus</i>
eastern spinebill	<i>Acanthorhynchus tenuirostris</i>
green catbird	<i>Ailuroedus crassirostris</i>
Australian brush turkey	<i>Alectura lathami</i>
striated grasswren	<i>Amytornis striatus</i>
thick-billed grasswren	<i>Amytornis textilis</i>
Australasian shoveler	<i>Anas rhynchotis</i>
magpie goose	<i>Anseranas semipalmata</i>
little wattlebird	<i>Anthochaera chrysoptera</i>
red wattlebird	<i>Anthochaera carunculata</i>
metallic starling	<i>Aplonis metallica</i>
black-faced woodswallow	<i>Artamus cinereus</i>
dusky woodswallow	<i>Artamus cyanopterus</i>
white-breasted woodswallow	<i>Artamus leucorhynchus</i>
masked woodswallow	<i>Artamus personatus</i>
white-browed woodswallow	<i>Artamus superciliosus</i>
musk duck	<i>Biziura lobata</i>
cattle egret	<i>Bubulcus ibis</i>
bush-stone curlew	<i>Burhinus grallarius</i>
yellow-faced honeyeater	<i>Caligavis chrysops</i>
Baudin's black-cockatoo	<i>Calyptorhynchus baudinii</i>
glossy black-cockatoo	<i>Calyptorhynchus lathami</i>
Carnaby's black-cockatoo	<i>Calyptorhynchus latirostris</i>
pheasant coucal	<i>Centropus phasianinus</i>
piebald honeyeater	<i>Certhionyx variegatus</i>
inland dotterel	<i>Charadrius australis</i>
spotted bowerbird	<i>Chlamydera maculata</i>
banded stilt	<i>Cladorhynchus leucocephalus</i>
white-winged chough	<i>Corcorax melanorhamphos</i>

Final species list

Torresian crow	<i>Corvus orru</i>
Australian magpie	<i>Cracticus tibicen</i>
black swan	<i>Cygnus atratus</i>
blue-winged kookaburra	<i>Dacelo leachii</i>
laughing kookaburra	<i>Dacelo novaeguineae</i>
mistletoebird	<i>Dicaeum hirundinaceum</i>
eclectus parrot (Australian subspecies)	<i>Eclectus roratus macgillivrayi</i>
little egret	<i>Egretta garzetta</i>
white-faced heron	<i>Egretta novaehollandiae</i>
piebald heron	<i>Egretta picata</i>
blue-faced honeyeater	<i>Entomyzon cyanotis</i>
eastern yellow robin	<i>Eopsaltria australis</i>
white-fronted chat	<i>Epthianura albifrons</i>
orange chat	<i>Epthianura aurifrons</i>
chestnut rail	<i>Eulabeornis castaneoventris</i>
dollarbird	<i>Eurystomus orientalis</i>
eurasian coot	<i>Fulica atra</i>
Tasmanian native hen	<i>Gallinula mortierii</i>
dusky moorhen	<i>Gallinula tenebrosus</i>
black-tailed native-hen	<i>Gallinula ventralis</i>
buff-banded rail	<i>Gallirallus philippensis</i>
magpie-lark	<i>Grallina cyanoleuca</i>
black-winged stilt	<i>Himantopus himantopus</i>
yellow-tufted honeyeater	<i>Lichenostomus melanops</i>
topnot pigeon	<i>Lopholaimus antarcticus</i>
purple-backed fairy-wren	<i>Malurus assimilis</i>
lovely fairy-wren	<i>Malurus amabilis</i>
purple-crowned fairy-wren	<i>Malurus coronatus</i>
red-winged fairywren	<i>Malurus elegans</i>
variegated fairy-wren	<i>Malurus lamberti</i>
white-winged fairy-wren	<i>Malurus leucopterus</i>
red-backed fairy-wren	<i>Malurus melanocephalus</i>
blue-breasted fairy-wren	<i>Malurus pulcherrimus</i>
noisy miner	<i>Manorina melanocephala</i>
hooded robin	<i>Melanodryas cucullata</i>
lewin's honeyeater	<i>Meliphaga lewinii</i>
white-naped honeyeater	<i>Melithreptus lunatus</i>
rainbow bee-eater	<i>Merops ornatus</i>
little pied cormorant	<i>Microcarbo melanoleucos</i>
scarlet honeyeater	<i>Myzomela sanguinolenta</i>
olive-backed sunbird	<i>Nectarinia jugularis</i>

Final species list

cotton pygmy-goose	Nettapus coromandelianus
green pygmy-goose	Nettapus pulchellus
olive-backed oriole	Oriolus sagittatus
golden whistler	Pachycephala pectoralis
rufous whistler	Pachycephala rufiventris
spotted pardalote	Pardalotus punctatus
striated pardalote	Pardalotus striatus
scarlet robin	Petroica boodang
red-capped robin	Petroica goodenovii
flame robin	Petroica phoenicea
little friarbird	Philemon citreogularis
noisy friarbird	Philemon corniculatus
white-cheeked honeyeater	Phylidonyris niger
New Holland honeyeater	Phylidonyris novaehollandiae
crescent honeyeater	Phylidonyris pyrrhopterus
rainbow pitta	Pitta iris
noisy pitta	Pitta versicolor
yellow-billed spoonbill	Platalea flavipes
royal spoonbill	Platalea regia
striped honeyeater	Plectorhyncha lanceolata
glossy ibis	Plegadis falcinellus
tawny frogmouth	Podargus strigoides
purple swamphen	Porphyrio melanotus
eastern whipbird	Psophodes olivaceus
wompoo fruit-dove	Ptilinopus magnificus
satin bowerbird	Ptilonorhynchus violaceus
white-plumed honeyeater	Ptilotula penicillata
yellow-throated scrubwren	Sericornis citreogularis
white-browed scrubwren	Sericornis frontalis
regent bowerbird	Sericulus chrysocephalus
freckled duck	Stictonetta naevosa
apostlebird	Struthidea cinerea
Australian white ibis	Threskiornis molucca
straw-necked ibis	Threskiornis spinicollis
forest kingfisher	Todiramphus macleayii
red-backed kingfisher	Todiramphus pyrrhopygia
sacred Kingfisher	Todiramphus sanctus
chestnut-backed button-quail	Turnix castanotus
masked lapwing	Vanellus miles
banded lapwing	Vanellus tricolor

Final species list

Reptiles:

The following reptiles are class 2 animals—

Common name	Scientific name
Arafura file snake	<i>Acrochordus arafurae</i>
little file snake	<i>Acrochordus granulatus</i>
blackish blind snake	<i>Anilius nigrescens</i>
three-clawed worm-skink	<i>Anomalopus verreauxii</i>
coral snake	<i>Brachyuropsis australis</i>
white-crowned snake	<i>Cacophis harriettae</i>
dwarf crowned snake	<i>Cacophis krefftii</i>
golden-crowned snake	<i>Cacophis squamulosus</i>
red-tailed calyptotis	<i>Calyptotis ruficauda</i>
pig-nosed turtle	<i>Carettochelys insculpta</i>
chameleon gecko	<i>Carphodactylus laevis</i>
bockadam	<i>Cerberus australis</i>
sandstone long-necked turtle	<i>Chelodina burrungandjii</i>
flat-shelled snake-necked turtle	<i>Chelodina steindachneri</i>
chameleon dragon	<i>Chelosania brunnea</i>
frilled lizard	<i>Chlamydosaurus kingii</i>
dark bar-sided skink	<i>Concinnia martini</i>
ring-tailed dragon	<i>Ctenophorus caudicinctus</i>
black-collared dragon	<i>Ctenophorus clayi</i>
crested dragon	<i>Ctenophorus cristatus</i>
tawny dragon	<i>Ctenophorus decresii</i>
peninsula dragon	<i>Ctenophorus fionni</i>
mallee dragon	<i>Ctenophorus fordi</i>
military dragon	<i>Ctenophorus isolepis</i>
ornate dragon	<i>Ctenophorus ornatus</i>
western netted dragon	<i>Ctenophorus reticulatus</i>
claypan dragon	<i>Ctenophorus salinarum</i>
red-barred dragon	<i>Ctenophorus vadrappa</i>
Leonhardi's ctenotus	<i>Ctenotus leonhardii</i>
leopard ctenotus	<i>Ctenotus pantherinus</i>
stony-soil ctenotus	<i>Ctenotus saxatilis</i>
McDonald's ring-tailed gecko	<i>Cyrtodactylus mcdonaldi</i>
ring-tailed gecko	<i>Cyrtodactylus tuberculatus</i>
striped legless lizard	<i>Delma impar</i>
patternless delma	<i>Delma inornata</i>
yellow-faced whip snake	<i>Demansia psammophis</i>
northern tree snake	<i>Dendrelaphis calligastra</i>

Final species list

De Vis' banded snake	<i>Denisonia devisi</i>
ornamental snake	<i>Denisonia maculata</i>
eastern deserts fat-tailed gecko	<i>Diplodactylus ameyi</i>
Gulf fat-tailed gecko	<i>Diplodactylus barraganae</i>
variable fat-tailed gecko	<i>Diplodactylus conspicillatus</i>
helmeted gecko	<i>Diplodactylus galeatus</i>
wheat-belt stone gecko	<i>Diplodactylus granariensis</i>
desert fat-tailed gecko	<i>Diplodactylus laevis</i>
eastern fat-tailed gecko	<i>Diplodactylus platyurus</i>
robust two-line dragon	<i>Diporiphora bennettii</i>
two-lined dragon	<i>Diporiphora bilineata</i>
yellow-sided two-lined dragon	<i>Diporiphora magna</i>
canegrass dragon	<i>Diporiphora winneckeii</i>
white-lipped snake	<i>Drysdalia coronoides</i>
mustard-bellied snake	<i>Drysdalia rhodogaster</i>
bardick	<i>Echiopsis curta</i>
western Pilbara spiny-tailed skink	<i>Egernia cygnitos</i>
pygmy spiny-tailed skink	<i>Egernia depressa</i>
central Pilbara spiny-tailed skink	<i>Egernia eos</i>
eastern Pilbara spiny-tailed skink	<i>Egernia epcisolus</i>
eastern crevice-skink	<i>Egernia mcphreei</i>
yakka skink	<i>Egernia rugosa</i>
southern snapping turtle	<i>Elseya albagula</i>
Irwin's turtle	<i>Elseya irwini</i>
Gulf snapping turtle	<i>Elseya lavarackorum</i>
red-flushed river turtle	<i>Emydura subglobosa</i>
northern yellow-faced turtle	<i>Emydura tanybaraga</i>
northern red-faced turtle	<i>Emydura victoriae</i>
southern water-skink	<i>Eulamprus tympanum</i>
red-naped snake	<i>Furina diadema</i>
orange-naped snake	<i>Furina ornata</i>
centralian dtella	<i>Gehyra montium</i>
robust dtella	<i>gehyra robusta</i>
prickly forest skink	<i>Gnypetoscincus queenslandiae</i>
black-bellied swamp snake	<i>Hemiaspis signata</i>
Tryon's skink	<i>Karma tryoni</i>
white-lipped python	<i>Leiopython hoseanae/albertisii</i>
mourning gecko	<i>Lepidodactylus lugubris</i>
Coen rainbow-skink	<i>Liburnascincus coensis</i>
centralian Ranges rock-skink	<i>Liopholis margaretae</i>
south-western rock-skink	<i>Liopholis pulchra</i>

Final species list

nocturnal desert-skink	<i>Liopholis striata</i>
Boyd's forest dragon	<i>Lophosaurus boydii</i>
Byrne's gecko	<i>Lucasium byrnei</i>
crowned gecko	<i>Lucasium stenodactylum</i>
Oenpelli rock python	<i>Morelia oenpelliensis</i>
dotted velvet gecko	<i>Oedura gemmata</i>
little whip snake	<i>Parasuta flagellum</i>
spectacled hooded snake	<i>Parasuta spectabilis</i>
Kimberley bearded dragon	<i>Pogona microlepidota</i>
Macleay's water snake	<i>Pseudoferania polylepis</i>
western giant cave gecko	<i>Pseudothecadactylus cavaticus</i>
giant cave gecko	<i>Pseudothecadactylus lindneri</i>
Fitzroy River turtle	<i>Rheodytes leukops</i>
beaked gecko	<i>Rhynchoedura ornata</i>
granite leaf-tailed gecko	<i>Saltuarius wyberba</i>
jewelled gecko	<i>Strophurus elderi</i>
western spiny-tailed gecko	<i>Strophurus spinigerus</i>
western blue-tongued lizard	<i>Tiliqua occipitalis</i>
centralian earless dragon	<i>Tympanocryptis centralis</i>
pebble dragon	<i>Tympanocryptis cephalus</i>
gibber earless dragon	<i>Tympanocryptis intima</i>
lined earless dragon	<i>Tympanocryptis lineata</i>
Eyrean earless dragon	<i>Tympanocryptis tetraporophora</i>
border thick-tailed gecko	<i>Uvidicolus sphyrurus</i>
black-spotted ridge-tailed monitor	<i>Varanus baritji</i>
short-tailed pygmy monitor	<i>Varanus brevicauda</i>
Bush's monitor	<i>Varanus bushi</i>
line-tailed pygmy monitor	<i>Varanus caudolineatus</i>
rusty desert monitor	<i>Varanus eremius</i>
perentie	<i>Varanus giganteus</i>
Kimberley rock monitor	<i>Varanus glauerti</i>
long-tailed rock monitor	<i>Varanus glebopalma</i>
Southern Pilbara rock monitor	<i>Varanus hammersleyensis</i>
mangrove monitor	<i>Varanus indicus</i>
pygmy rock monitor	<i>Varanus kingorum</i>
Mitchell's water monitor	<i>Varanus mitchelli</i>
yellow-spotted monitor	<i>Varanus panoptes</i>
northern Pilbara rock monitor	<i>Varanus pilbarensis</i>
emerald monitor	<i>Varanus prasinus</i>
northern ridge-tailed monitor	<i>Varanus primordius</i>
Rosenberg's goanna	<i>Varanus rosenbergi</i>

Final species list

rusty monitor	<i>Varanus semiremex</i>
Spencer's monitor	<i>Varanus spenceri</i>
lace monitor	<i>Varanus varius</i>
bandy-bandy	<i>Vermicella annulata</i>
Bell's turtle	<i>Wollumbinia belli</i>

The following reptiles are class 2 dangerous animals—

Common name	Scientific name
death adders	<i>Acanthophis</i> spp.
copperheads	<i>Austrelaps</i> spp.
eastern small-eyed snake	<i>Cryptophis nigrescens</i>
greater black whipsnake	<i>Demansia papuensis</i>
lesser black whipsnake	<i>Demansia vestigiata</i>
broad-headed snakes	<i>Hoplocephalus</i> spp.
tiger snakes	<i>Notechis</i> spp.
taipans	<i>Oxyuranus</i> spp.
black snakes	<i>Pseudechis</i> spp.
brown snakes	<i>Pseudonaja</i> spp.
myall snake	<i>Suta suta</i>
rough scaled snake	<i>Tropidechis carinatus</i>

FARM The following protected animals are farm animals—

a reptile of the family Elapidae;  
birdwing butterfly (*Ornithoptera* sp.);  
Ulysses butterfly (*Papilio ulysses*);  
emu (*Dromaius novaehollandiae*);  
estuarine crocodile (*Crocodylus porosus*);  
freshwater crocodile (*Crocodylus johnstoni*);